

**PLYCO**  
CORPORATION  
PO BOX 386 • ELKHART LAKE, WI 53020

# CTB500 Series COMMERCIAL WINDOWS

**CTB500  
COMMERCIAL WINDOWS**

## CTB500 Series

- More durable and stronger than vinyl
- Hard Baked on Finish for years of performance
- Easy Installation
- Polar White, Hickory Moss, Bronze & Brown
- Optional Built-in "Step Saver" Trim, fully extruded frame for added strength

**PLYCO CORPORATION  
USA  
800/558-5895  
FAX: 800/257-5926  
INTERNATIONAL  
920/876-3611  
FAX: 920/876-3527  
[www.plyco.com](http://www.plyco.com)**



## **PLYCO Series CTB500 Commercial Window**

The Plyco Series CTB500 pre-assembled horizontal thermal break windows save you time and money.

This means:

- Aluminum frame and grids make this window stronger and more durable than vinyl windows
- Available in popular Polar White, Hickory Moss, Bronze and Brown colors using a hard baked finish for years of performance
- Available with Tinted, Tempered, Mirrored or Safety Glass
- Completely pre-assembled and controlled under factory conditions
- Installs quickly using Plyco's Step Saver optional trim or nailing flange

**PLYCO CORPORATION  
USA**

**800/558-5895**

**FAX: 800/257-5926**

**INTERNATIONAL**

**920/876-3611**

**FAX: 920/876-3527**



**[www.plyco.com](http://www.plyco.com)**

# PLYCO Series CTB500 Commercial Window

The Plyco Series CTB500 pre-assembled vertical thermal break windows save you time and money.

This means:

- Aluminum frame and grids make this window stronger and more durable than vinyl windows
- Available in popular Polar White, Hickory Moss, Bronze and Brown colors using a hard baked finish for years of performance
- Available with Tinted, Tempered, Mirrored or Safety Glass
- Completely pre-assembled and controlled under factory conditions
- Installs quickly using Plyco's Step Saver optional trim or nailing flange
- Window tilt allows easy cleaning, and unique air flow



Thermal breaks make this a easy choice for almost any installation

# PLYCO CTB500 Series Commercial Sliding Window

<b>GLAZING</b>	
STANDARD TYPE OPTIONS GRIDS	5/8" INSULATED GLASS LOW-E, TINTED, TEMPERED, SAFETY ALUM. BETWEEN PANES (OPTIONAL)
<b>FRAMING</b>	
TYPE THERMAL-BREAK FRAME DEPTH WINDOW SIZES COLOR OPTIONS TRIM STYLE MULLING MULTIPLE UNITS	ALUMINUM STANDARD 2-3/8" STANDARD / SPECIAL POLAR WHITE, HICKORY MOSS, BRONZE, BROWN STEP SAVER OR NAILING FLANGE YES
<b>SASHES</b>	
MODELS THERMAL BREAK REMOVABLE SASH BALL BEARING ROLLERS LATCHING HARDWARE SCREENS	HORIZONTAL SLIDER FIXED/VERTICAL SINGLE HUNG/FIXED LIGHT YES SLIDING SLASH (ONLY) YES DIE-CAST ALUMINUM STANDARD / CLOTH
<b>WEATHER STRIPPING</b>	
SASHES FRAME STEP SAVER TRIM	POLY PILE / VINYL FIN VINYL FIN Q-LON / BULB

**RECOMMENDED APPLICATIONS**

**AGRICULTURAL  
LIGHT COMMERCIAL  
HEATED FACILITIES, ETC...**

Because of its ongoing commitment to product improvement, Plyco Corporation reserves the right to change, without notice, product specifications, availability, prices and conditions of sale.

**PLYCO**  
CORPORATION  
PO BOX 386 • ELKHART LAKE, WI 53020

**www.plyco.com 800/558-5895 FAX: 800/257-5926**  
**INTERNATIONAL 920/876-3611 FAX: 920/876-3527**

**WINDOWS • WALK DOORS • WALL VENTS • RIDGE VENTS  
SLIDING DOOR TRACK • SLIDE DOOR RAILS • PLY-FOIL INSULATION  
HORSE STALLS • FASTENERS & CLOSURES • SPECIALTY PRODUCTS**

*CTB500 Series*

## *“Step Saver” Window*

The “Step Saver” Window combines all the features of our popular M-3025 commercial window, plus a special pre-installed J channel that allows the window to be installed after the wall metal is up, as shown below:

- Determine placement and cut opening
- Slide top edge of window into place
- Drop bottom of window in place and attach

